

OVAProtect™

OVAProtect™ is a discreet glazing protection system developed by OVAGLAS® for high-risk, high-value environments.



OVAProtect™

OVAProtect™ is a discreet glazing protection system developed by OVAGLAS® for high-risk, high-value environments.

It combines advanced polycarbonate panels with our proprietary shock gasket technology to add a robust yet unobtrusive layer of defence.

By securing a protective layer directly to existing glazing, OVAProtect™ increases resistance to impact and vandalism while preserving the appearance of the glass. The shock gasket absorbs force, reduces the risk of stress fractures, and creates a clean seal that prevents debris build-up and misting between the glass and the panel.

Every system is tailored to the specific risks of each site, with options for semi-permanent or adhesive retrofits that maintain the structural integrity of the glazing. Installations are carried out exclusively by OVAGLAS® engineers, scheduled flexibly to minimise disruption.

Key benefits

- Strong protection against impact and vandalism
- Preserves the original appearance of glazing
- Shock gasket technology absorbs force and prevents misting
- Tailored designs based on site risk assessment
- Flexible installation, discreetly delivered by OVAGLAS® engineers

Applications

Ideal for banks, government buildings, retail frontages, transport hubs, heritage sites, corporate headquarters, education, and healthcare facilities.

Ongoing support

To keep systems performing at their best, OVAGLAS® offers maintenance and emergency call-out packages — ensuring glazing remains clean, effective, and protected.

"Since installing OVAProtect™ we've had zero glazing damage despite multiple attempted vandalism incidents. The system is discreet yet incredibly effective."

Facility Manager, Major Financial Institution



Global Specialists

OVAGLAS® are global specialists in the glazing enhancement sector with over 175 years experience working within the window film industry.



Wide Range of Solutions

Whether you are looking to save energy, increase security or improve the aesthetic of your building, OVAGLAS® have the glazing enhancement solution for you!




On Site Surveys

OVAGLAS® offer on site surveys and expert advice giving you complete peace of mind that you are choosing the correct window film for your glazing requirements.

Product Specifications

- An optically clear, removable sacrificial coating (Graffiti Shield) is applied to safeguard the polycarbonate surface against graffiti, scratching, and other surface damage.
- Bespoke polycarbonate thicknesses are selected based on the required level of protection and other project-specific considerations.
- Impact Deflection Void – an engineered air gap between the polycarbonate and existing glazing, maintained by a gasket running continuously on all four sides.
- A bespoke adhesive gasket system is selected based on the required level of protection and other project-specific conditions. Additional or bespoke profiles are available upon request.
- Existing Window – original glazing of the building.





OVAGLAS Protection: Unit 3 Avondale Way,
Wakefield, West Yorkshire WF2 7QU

T: +44 (0)800 316 7788

E: sales@ovaglas.co.uk

ovaglas.co.uk/protection

Registered Office: The Junction, Office 43
Charles Street, Horbury, Wakefield WF4 5FH